

WAXED CHAINS. HOT WAX. LIQUID WAX.

FOR MORE PERFORMANCE, LESS MAINTENANCE AND LONGER LIFE.
FOR ALL TYPES OF BIKES AND DERAILLEUR SYSTEMS.

IN COOPERATION WITH OPTIMIZE.
MADE IN GERMANY.

**CLEANER. FASTER. FURTHER.
WITH WAXED CHAINS.**



LESS MAINTENANCE. SUSTAINABLY MORE FUN.

Wax is the new oil. And a small revolution in chain care. With our environmentally friendly WAX products, oily and dirty chains are a thing of the past.

You've probably experienced it yourself: an oily, sticky chain that attracts dirt like a magnet. Only to release it in the most inconvenient places. On your hands, on your clothes, in the car or at home. Our waxed chains for 10-, 11- and 12-speed gear systems are the efficient, high-performance, low-maintenance alternative. The high-performance wax forms a solid protective layer against dirt and reduces wear. Our special formula with high quality SCA anti-wear additives measurably reduces friction between pins and chain links for a more enjoyable ride. Waxed chains not only deliver more power to the sprockets, they are also easier to care for and maintain.

SYSTEMATIC CARE: HOT AND LIQUID WAX FOR MORE PERFORMANCE, LESS MAINTENANCE AND LONGER LIFE

To help you get the most out of your waxed high-performance chain, we offer the perfect maintenance system of hot and liquid wax. Our Hot Wax provides a thorough cleaning and builds a dry, dirt-resistant wax layer that effectively protects your chain for up to 800 km. Our Liquid Wax is a complementary, quick and mobile solution for easy maintenance of your chain. It can be applied to the assembled chain with a small dispenser bottle, just like any other lubricant. Thanks to the compatibility of all WAX products, you decide whether it's time for a relaxing wax bath or a quick touch-up with our liquid wax. Goodbye oil, hello wax!



- For all 12-speed systems (except SRAM Flattop)
- Nickel
- 118 links / 268 grams, 126 links / 285 grams
- Connex Link included



PREMIUM
HOT
WAX



READY
FOR
E-BIKE



- For all 11-speed systems
- Nickel
- 118 links / 268 grams, 126 links / 285 grams
- Connex Link included



PREMIUM
HOT
WAX




READY
FOR
E-BIKE

12WAX

Technically designed for maximum athletic performance, the waxed version of this chain further improves shifting performance and power transmission. In addition, the protective wax coating minimizes wear and keeps the chain clean.


POWER CHART



11WAX

The waxed version of our high-performance chain is not only impressive in terms of wear and maintenance. It also excels in shifting performance and power output on all types of bikes and derailleur systems.


POWER CHART



10WAX

Robust design combined with our high-performance wax guarantees maximum riding enjoyment through smooth shifting and optimum power transmission. In addition, this chain is extremely wear resistant and easy to maintain.

POWER CHART



- For all 10-speed systems
- Nickel
- 116 links / 268 grams
- Connex Link included



PREMIUM
HOT
WAX



READY
FOR
E-BIKE



- With SCA anti-wear additives
- Content: 100ml – PTFE-free
- Minimizes dirt adhesion and wear, with noise-reducing effect
- Ideal for relubricating hot-waxed chains



HOT WAX
COMPATIBLE



- With SCA anti-wear additives
- Content: 375 ± 5 grams – PTFE-free
- Minimizes dirt adhesion and wear, with noise-reducing effect
- Multiple use



LIQUID WAX
COMPATIBLE


LIQUID WAX

Our liquid wax in the 100 ml dispenser bottle is the quick and mobile solution that makes the maintenance of your chain particularly easy – just like any other lubricant. Compatible with all Connex WAX products.

HOT WAX


Our Hot Wax provides a thorough cleaning and builds a dry, dirt-resistant wax layer that effectively protects your chain for up to 800 km thanks to the high-quality SCA anti-wear additives. Compatible with all our waxed chains and with Liquid Wax.

HOT WAX HOW TO




01

Degrease conventionally lubricated chain. Repeat, if necessary. Observe warnings for degreasing agents!




02

Allow chain to dry thoroughly. Heat wax to 90 °C. Do not heat above 100 °C!




03

Immerse the chain, allowing two minutes of exposure at exactly 90 °C after thermal equalization. Reduce temperature to 60 °C until slight skin formation is visible.



04

Remove the chain from the wax. Drain and allow to cool over the wax bath.




05

Allow the waxed chain to cool for at least 2h, then break the wax on each chain link.



SCAN ME!

More information and products



WAXED CHAINS FROM THE INVENTOR OF THE LEGENDARY CONNEX LINK

WWW.CONNEXCHAIN.COM/WAX-EN

Wippermann jr. GmbH
Delsterner Str. 133
58091 Hagen
Germany

Telephone: +49 (0)2331 - 782 - 0
Fax: +49 (0)2331 - 782 - 425
Internet: www.connexchain.com
E-mail: connex@wippermann.com

