DUBNITAL

TRINOTAL

MAGNOTAL







MTB

Dubnital

TECHNOLOGY

SIZES



MASTER OF SPEED

Engineered for rapid cross-country and gravel riding, this fast-rolling tread excels on rocky hardpack and medium-loose terrain. The redesigned pattern boosts speed, braking, and cornering grip. Choose Race carcass with Rapid compound for warp speed, or Trail carcass with Grip compound for all-round performance.

TECHNOLOGY

SIZES

TERRAIN

Ideal for **hardpack** terrain

CASING

Trail: A light and durable single-ply carcass construction, ideal for Trail use cases.

Race: The lightest and fastest construction in our MTB line-up. Perfect for modern Cross and Down-Country riding and racing

COMPOUND

Grip: Designed for modern Cross-Country, Down-Country, Trail and gravel use cases. This compound offers an excellent balance of grip and rolling resistance and is the number one choice for all-round balanced characteristics.

Rapid: When speed and acceleration on flat and inclines is all that matters, then the Rapid compound is your go-to option. Inspired by the characteristics of compounds used in our road, race and gravel tires.

Dubnital

TECHNOLOGY

SIZES

Dubnital

Race Rapid - 3/330 TPI							E25	TR
Article	**ETRTO**	**Dimension**	**Color/sidewall**	**g**	**PSI**	**EAN**		**RRP/€**
NEW 0102109	50-622	29 x 2.00	foldable	550	58	4 019238 328851		74,95
0102041	55-622	29 x 2.20	foldable	610	58	4 019238 402797		74,95
0102037	60-622	29 x 2.40	foldable	645	50	4 019238 402629		74,95
0102038	60-622	29 x 2.40	foldable	685	50	4 019238 402605		74,95
Race Grip - 3/330 TPI							**E25**	**TR**
0102039	60-622	29 x 2.40	foldable	650	50	4 019238 402582		71,95
0102040	60-622	29 x 2.40	foldable	690	50	4 019238 402568		71,95
Trail Rapid - 3/330 TPI							**E25**	**TR**
0150788	55-584	27.5 x 2.20	foldable	615	58	4 019238 402766		71,95
0150787	60-584	27.5 x 2.40	foldable	645	50	4 019238 402773		71,95
NEW 0150841	50-622	29 x 2.00	foldable	615	58	4 019238 328950		71,95
0150786	55-622	29 x 2.20	foldable	655	58	4 019238 402810		71,95
0150782	60-622	29 x 2.40	foldable	690	50	4 019238 402896		71,95
0150783	60-622	29 x 2.40	foldable	685	50	4 019238 402872		71,95
Trail Grip - 3/330 TPI							**E25**	**TR**
0150784	60-622	29 x 2.40	foldable	725	50	4 019238 402858		67,95
0150785	60-622	29 x 2.40	foldable	725	50	4 019238 402834		67,95

CONTI KNOWLEDGE

Tubeless Ready:

For initial mounting we recommend to use at least 30 ml of Conti RevoSealant per tire. Then spin the tire (wheel) to spread the Conti RevoSealant inside of the tire and pump to the allowed maximum pressure. Check the pressure before the next ride and adjust to your desired PSI.

This tire is Hookless compatible to its limited max. pressure. Please check wheel instruction and tire packaging for detailed information.

Trinotal

TECHNOLOGY

SIZES



CONTROL THE TERRAIN

Trinotal is truly versatile, designed to be ridden on hard and light mixed soils whether dry or damp. Trinotal supersedes its predecessor, the popular 'Cross King'. Conquer the varied challenges of modern cross-country and down-country riding.

TECHNOLOGY

SIZES

TERRAIN

Ideal for **hardpack** and **mixed** terrain

CASING

Trail: A light and durable single-ply carcass construction, ideal for Trail use cases.

Race: The lightest and fastest construction in our MTB line-up. Perfect for modern Cross and Down-Country riding and racing

COMPOUND

Grip: Designed for modern Cross-Country, Down-Country, Trail and gravel use cases. This compound offers an excellent balance of grip and rolling resistance and is the number one choice for all-round balanced characteristics.

Rapid: When speed and acceleration on flat and inclines is all that matters, then the Rapid compound is your go-to option. Inspired by the characteristics of compounds used in our road, race and gravel tires.

Trinotal

TECHNOLOGY

SIZES

Trinotal

Article	ETRTO	Dimension	Color/sidewall	g	PSI	EAN	RRP/€
Race Rapid - 3/330 TPI						**E25** **TR**	
0102032	60-622	29 x 2.40	foldable	720	50	4 019238 402544	74,95
0102033	60-622	29 x 2.40	foldable	755	50	4 019238 402520	74,95
Race Grip - 3/330 TPI						**E25** **TR**	
0102036	55-622	29 x 2.20	foldable	625	58	4 019238 402469	71,95
0102034	60-622	29 x 2.40	foldable	725	50	4 019238 402506	71,95
0102035	60-622	29 x 2.40	foldable	760	50	4 019238 402483	71,95
Trail Rapid - 3/330 TPI						**E25** **TR**	
0150774	60-622	29 x 2.40	foldable	710	50	4 019238 402759	71,95
0150775	60-622	29 x 2.40	foldable	710	50	4 019238 402735	71,95
Trail Grip - 3/330 TPI						**E25** **TR**	
0150781	55-559	26 x 2.20	foldable	610	58	4 019238 402636	64,95
0150780	55-584	27.5 x 2.20	foldable	635	58	4 019238 402643	67,95
0150779	60-584	27.5 x 2.40	foldable	705	50	4 019238 402650	67,95
0150778	55-622	29 x 2.20	foldable	685	58	4 019238 402674	67,95
0150776	60-622	29 x 2.40	foldable	740	50	4 019238 402711	67,95
0150777	60-622	29 x 2.40	foldable	740	50	4 019238 402698	67,95

CONTI KNOWLEDGE

Tubeless Ready:

For initial mounting we recommend to use at least 30 ml of Conti RevoSealant per tire. Then spin the tire (wheel) to spread the Conti RevoSealant inside of the tire and pump to the allowed maximum pressure. Check the pressure before the next ride and adjust to your desired PSI.

This tire is Hookless compatible to its limited max. pressure. Please check wheel instruction and tire packaging for detailed information.

Magnotal

TECHNOLOGY

SIZES



DOMINATE WHEREVER YOU RIDE

Magnotal is designed for dry to wet conditions for hard, loose or muddy soils. It is the go-to solution for aggressive down-country, all-mountain and trail use cases. The newly designed tread pattern and casing sets a new standard for an all-rounder MTB tire – closing the gap to our Gravity range.

TECHNOLOGY

SIZES

TERRAIN

Ideal for **mixed** and **loose** terrain

CASING

Trail: A light and durable single-ply carcass construction, ideal for Trail use cases.

COMPOUND

Soft: Designed for descending-orientated use cases in the Trail and Enduro segment. The Soft compound offers high levels of grip with reasonable rolling resistance. Useable as a complete Front-Rear combination or a Front-wheel-only option for increased grip in Trail and All-Mountain use cases.

Grip: Designed for modern Cross-Country, Down-Country, Trail and gravel use cases. This compound offers an excellent balance of grip and rolling resistance and is the number one choice for all-round balanced characteristics.

Magnotal

TECHNOLOGY

SIZES

Magnotal

Trail Soft - 3/330 TPI

E25 TR

Article	ETRTO	Dimension	Color/sidewall	g	PSI	EAN	RRP/€
0150771	60-584	27.5 x 2.40	foldable	800	50	4 019238 401967	69,95
0150836	60-584	27.5 x 2.40	foldable	785	50	4 019238 326826	69,95
0150773	65-584	27.5 x 2.60	foldable	895	43	4 019238 401929	73,95
0150765	60-622	29 x 2.40	foldable	840	50	4 019238 402063	69,95
0150766	60-622	29 x 2.40	foldable	835	50	4 019238 402049	69,95
0150769	65-622	29 x 2.60	foldable	965	43	4 019238 402001	73,95

Trail Grip - 3/330 TPI

E25 TR

Article	ETRTO	Dimension	Color/sidewall	g	PSI	EAN	RRP/€
0150770	60-584	27.5 x 2.40	foldable	745	50	4 019238 401981	67,95
0150835	60-584	27.5 x 2.40	foldable	765	50	4 019238 326802	67,95
0150772	65-584	27.5 x 2.60	foldable	905	43	4 019238 401943	71,95
0150763	60-622	29 x 2.40	foldable	805	50	4 019238 402100	67,95
0150764	60-622	29 x 2.40	foldable	800	50	4 019238 402087	67,95
0150768	65-622	29 x 2.60	foldable	965	43	4 019238 402025	71,95

CONTI KNOWLEDGE

Tubeless Ready:

For initial mounting we recommend to use at least 30 ml of Conti RevoSealant per tire. Then spin the tire (wheel) to spread the Conti RevoSealant inside of the tire and pump to the allowed maximum pressure. Check the pressure before the next ride and adjust to your desired PSI.

This tire is Hookless compatible to its limited max. pressure. Please check wheel instruction and tire packaging for detailed information.